

CLAY ROOF TILES

CAPTIVATING DIVERSITY



CREATON CLAY ROOF TILES **NATURALAND**

AESTHETIC

CLAY ROOF TILES

-  **Natural material for a comfortable indoor climate**
-  **Breathable protection from rain, snow and storm**
-  **Aesthetic appearance without cut tiles due to adjustment range**
-  **Many colours and surface finishes**
-  **Comprehensive accessories**

MANY COLOURS AND
SURFACE FINISHES



SURFACE FINISHES



NATURAL RED

Every tile is unique: from charming variations in the colour to the individual character of a patination and different surface finishes from smooth to brushed. It's as if clay and loam moisture-regulating raw materials in diverse shapes are specially created to make a durable, comfortable home.

Refined with natural clay slurries from selected clay deposits, NUANCE enriches roof landscapes in a very special way. The clay slurries and tile fuse into a unit in a contact-free firing process at over 1,000°C. The result: high quality engobes that shimmer with an exquisite matte finish and protect the colour fastness with a refined appearance.

NUANCE



FINESSE

A glaze of ground, pre-melted minerals lies like a protective layer over the tile and increases the resistance. The glaze with the very smooth surface provides longer protection from soiling. Whether in pressed roof tile or plain tile variants: A FINESSE roof panorama shines in many brilliant colours and offers a top-class price/performance ratio.



NOBLESSE

Developed originally as an exclusive plain tile collection, the popular colour glaze with up to 60 possible shades is now also available on selected pressed roof tile models. Here, unique know-how combines with outstanding technology into a diversity of colour that you can only find at CREATON. Numerous colour shades and different shapes offer many possible combinations for your individual roof design.




EXPLORE THE WORLD OF SOLAR
PRODUCTS BY CREATON

WWW.CREATON.COM/PRODUCTS/SOLAR-SOLUTIONS



Visit www.creaton.com/products/solar-solutions for lots of information about our Solar solutions, along with useful tips for your PV project.



MAGNUM®

THE ECONOMICAL LARGE TILE



8.2 PCS/M²

- Great efficiency, thanks to the mega-format**
- Uncompromising fusion of size and quality using premium technology**

AVAILABLE IN THESE COLOURS

1 natural red, 2 NUANCE copper red engobed, 3 NUANCE slate shade engobed, 4 NUANCE black engobed, 5 NUANCE matte black engobed

TITANIA

THE FLEXIBLE FLAT ROOF TILE WITH MAXIMUM ADJUSTMENT TOLERANCE



9.0 PCS/M²


- Top price/performance ratio with 9 pcs/m²**
- Super easy to install thanks to the large, 44 mm adjustment range**
- Highly reliable against rain intrusion and uplift thanks to distinctive interlocking**

AVAILABLE IN THESE COLOURS

1 NUANCE copper red engobed, 2 NUANCE slate shade engobed, 3 NUANCE matte black engobed, 4 FINESSE slate glazed, 5 FINESSE black glazed, 6 NOBLESSE brown glazed

FUTURA®

SEAMLESSLY INTO THE FUTURE



10.8 PCS/M²


- Especially large adjustment range of 29 mm per tile**
- 15 captivating colours made possible by first-class raw materials**
- Smooth overlap and optimal flow behaviour due to technically innovative design**
- Also suitable for very flat roofs with a pitch of up to 7° with a watertight sub-roof - 7° special solution**

AVAILABLE IN THESE COLOURS

1 natural red, 2 NUANCE copper red engobed, 3 NUANCE wine red engobed, 4 NUANCE dark brown engobed, 5 NUANCE grey engobed, 6 NUANCE slate shade engobed, 7 NUANCE matte black engobed, 8 FINESSE red glazed, 9 FINESSE wine red glazed, 10 FINESSE slate glazed, 11 FINESSE black glazed, 12 NOBLESSE antique mottled glazed, 13 NOBLESSE dark blue glazed, 14 NOBLESSE dark green glazed, 15 NOBLESSE brown glazed

PREMION®

THE FLAT ROOF TILE WITH THE HIGH BAKING FACTOR



11.6 PCS/M²


- Maximum resistance thanks to sinter firing**
- Natural colour throughout with matte manganese for dark colours, thanks to „KERALIS“ process technology**
- Also suitable for very flat roofs with a pitch of up to 7° with a watertight sub-roof - 7° special solution**

AVAILABLE IN THESE COLOURS

1 natural red, 2 NUANCE copper red engobed, 3 NUANCE brown engobed, 4 NUANCE matte manganese, 5 NUANCE slate shade engobed, 6 NUANCE matte black engobed, 7 FINESSE wine red glazed, 8 FINESSE brown glazed, 9 FINESSE black glazed, 10 FINESSE chestnut glazed, 11 NOBLESSE crystalline slate glazed, 12 NOBLESSE crystalline black glazed

FLAT ROOF TILES

- 1 FUTURA, NUANCE slate shade
- 2 HARMONIE, FINESSE black



HARMONIE® THE TIMELESS, BEAUTIFUL FLAT ROOF TILE

14.2 PCS/M²



- The most flexible, small format flat roof tile of its kind**
- Large 25 mm adjustment range**
- Balanced, optimised appearance**
- High level of protection thanks to four-fold overlap**

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE red engobed, 3 NUANCE Tuscany engobed, 4 NUANCE copper red engobed, 5 NUANCE wine red engobed, 6 NUANCE dark brown engobed, 7 NUANCE slate shade engobed, 8 NUANCE anthracite engobed, 9 FINESSE brown glazed, 10 FINESSE black glazed

MZ3® THE UPDATED CLASSIC

12.6 PCS/M²



- Excellent snow intrusion protection**
- Durable, proven model**
- Extensive accessory range**

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE antique grey/dark brown engobed, 4 NUANCE matte black engobed, 5 FINESSE wine red glazed, 6 FINESSE black glazed

MZ3® KLASSIK THE PROVEN FLAT ROOF TILE

13.5 PCS/M²




- Timeless classic**
- Large 16 mm adjustment range**
- Durable, proven model**
- Traditional model from Bavaria, proven millions of times over more than 70 years**

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE antique grey engobed, 4 NUANCE anthracite engobed,

REFORM TILES

- 1 TERRA OPTIMA, NUANCE slate shade
- 2 CANTUS, FINESSE wine red



CANTUS

SOPHISTICATED AND COLOURED THROUGHOUT

11.8 PCS/M²



- Beautiful colour throughout thanks to "Integral colouration" – in matte manganese for dark colours
- Optimal water control due to special interlock technology

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE slate shade engobed, 4 NUANCE matte black engobed, 5 FINESSE wine red glazed, 6 FINESSE black glazed, 7 NOBLESSE crystalline slate glazed, 8 NOBLESSE crystalline black glazed

TERRA OPTIMA

THE MULTI-PURPOSE REFORM TILE

11.9 PCS/M²




- Timeless clear design
- Ideal for refurbishment thanks to flexible gauge up to 51 mm
- High cost-effectiveness thanks to fast, easy installation

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE wine red engobed, 4 NUANCE brown engobed, 5 NUANCE dark brown engobed, 6 NUANCE grey engobed, 7 NUANCE slate shade engobed, 8 NUANCE anthracite engobed, 9 FINESSE wine red glazed, 10 FINESSE black glazed

ELEGANZ

THE STYLISH REFORM TILE

13.7 PCS/M²



- Traditional model for renovations and timeless roof design

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE dark brown engobed

SMOOTH TILES

- 1 DOMINO, NUANCE slate shade
- 2 DOMINO, NUANCE grey



DOMINO® THE LINEAR SMOOTH TILE

12.4 PCS/M²



- Consistency in form and technology
- Rear rib technology for stability and condensate drainage

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE wine red engobed, 3 NUANCE copper red engobed, 4 NUANCE grey engobed, 5 NUANCE slate shade engobed, 6 NUANCE matte black engobed, 7 FINESSE slate glazed, 8 FINESSE black glazed,

VISIO

SIMPLY COLOURED THROUGHOUT

11.8 PCS/M²




- Especially robust with fine matte gleam due to sinter firing process at over 1,100°C
- Optimal water control due to sophisticated interlock technology
- Excellent protection against rain intrusion and reliable condensate removal due to rear ribs
- Homogeneous tile body with continuous beautiful colour due to finest KERALIS raw materials

AVAILABLE IN THESE COLOURS
 1 NUANCE slate shade engobed, 2 NUANCE matte black engobed

MIKADO

THE SOPHISTICATED SMOOTH TILE

11.7 PCS/M²




- Large adjustment range of 29 mm per tile
- First-class raw materials ensure high homogeneity with low shrinkage and the high proportion of iron oxide creates authentic, brilliantly intense colours
- 2 stable suspension lugs ensure secure support and reliable rear ventilation
- Can be used with bonded coverage for roof pitches of 10° and above, with a watertight sub-roof

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE slate shade engobed, 4 NUANCE black matte engobed,

INTERLOCKING TILES

- 1 RATIO, NUANCE antique grey/dark grey
2 REGIUS, NUANCE copper red



REGIUS

TRADITIONAL MEETS MODERN



9.3 PCS/M²


- Classic technically mature model from the traditional works in Autenried, Bavaria, Germany
- Exceptional versatility for renovations and easy to install thanks to generous adjustment range of 21 mm
- The large format of 295 x 475 mm makes this tile especially cost-effective
- It can be used either in rows or in a bonded pattern, increased protection against rain penetration with bonded coverage

AVAILABLE IN THESE COLOURS

- 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE slate shade engobed, 4 NUANCE matte black engobed

RATIO®

THE ECONOMICAL, LARGE INTERLOCKING TILE



11.7 PCS/M²


- Traditional design
- High cost-effectiveness thanks to large adjustment range
- Greater reliability due to sophisticated, optimised technology
- Sensational, comprehensive colour palette

AVAILABLE IN THESE COLOURS

- 1 natural red, 2 NUANCE red engobed, 3 NUANCE copper red engobed, 4 NUANCE wine red engobed, 5 NUANCE antique grey/dark brown engobed, 6 NUANCE anthracite engobed, 7 FINESSE red glazed, 8 FINESSE wine red glazed, 9 FINESSE chestnut glazed, 10 FINESSE black glazed, 11 NOBLESSE antique mottled glazed

RUSTICO®

THE RUSTIC INTERLOCKING TILE



14.2 PCS/M²


- Traditional design
- Ideal for refurbishment thanks to flexible coverage dimensions up to 21 mm

AVAILABLE IN THESE COLOURS

- 1 natural red, 2 NUANCE Tuscany engobed, 3 NUANCE copper red engobed, 4 NUANCE antique grey/dark brown engobed

CURVED INTERLOCKING TILES

- 1 MELODIE, natural red
- 2 MELODIE, NUANCE anthracite



MELODIE

NORTHERN EUROPEAN CHARM THAT'S EASY TO LAY AND STORMPROOF

13.7 PCS/M²



- Roof pitch as low as 10° with watertight sub-roof
- Installer-friendly thanks to a unit weight of only 3.3 kg

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE copper red engobed, 3 NUANCE slate shade engobed, 4 NUANCE anthracite engobed, 5 FINESSE black glazed

SINFONIE®

THE CURVED INTERLOCKING TILE WITH THE DISTINCTIVE LOOK

10.9 PCS/M²



- Also suitable for very flat roofs with a pitch of up to 7° with a watertight sub-roof - 7° special solution
- Large 29 mm adjustment range
- Distinctive interlock technology provides great storm resistance

AVAILABLE IN THESE COLOURS
 1 natural red, 2 copper red engobed, 3 NUANCE matte black engobed, 4 FINESSE wine red glazed, 5 FINESSE black glazed, 6 NOBLESSE black glazed




CREATON VISUALISATION SERVICE

EXPERIENCE ROOFS DIGITALLY

You can use our visualisation service to virtually lay clay roof tiles and concrete roof tiles from our current range on a roof. You can also virtually install our photovoltaic systems on the new roof. Our visualisation service is available to use free of charge at www.creaton.de/visualisierung.

SPECIAL SHAPES

- 1 ETRUSKO, natural red
- 2 MAXIMA, NUANCE slate shade



MAXIMA PRO

THE MULTITALENT FOR RENOVATION AND OLD BUILDINGS

9.5 PCS/M²



-  **Ideal renovation tile for replacement of old roofing in need of renovation**
-  **Large 41 mm adjustment range**
-  **Multi-talent thanks to ideal coverage dimensions**




AVAILABLE IN THESE COLOURS
 1 NUANCE copper red engobed, 2 NUANCE slate shade engobed, 3 NUANCE matte black engobed, 4 FINESSE matte black glazed

ETRUSKO

STRIKINGLY MEDITERRANEAN

12.9 PCS/M²




-  **Authentic Mediterranean colour variations: mottled natural red and Tuscany engobed**
-  **Verge variants: the longer verge laps offer more options for covering the substructure**
-  **Optimal flow behaviour and reliable water control due to technically optimal overlap**

AVAILABLE IN THESE COLOURS
 1 natural red, 2 NUANCE Tuscan engobed, 3 NUANCE natural red flamed

HERZZIEGEL

THE UNMISTAKABLE INTERLOCKING TILE WITH SNOW GUARD FEATURE


13.7 PCS/M²



-  **Traditional model with snow stop effect**

AVAILABLE IN THESE COLOURS
 1 Natural red

BIBER KLASSIK






-  **Large range of applications**
-  **For roof areas of downright classic beauty**
-  **Slim, elegant shape**
-  **Fine engobes and sensational, comprehensive colour palette**

AVAILABLE IN THESE COLOURS

KLASSIK ROUND CUT: 1 natural red, 2 NUANCE red engobed, 3 NUANCE wine red engobed, 4 NUANCE anthracite engobed, 5 NUANCE antique grey / dark brown engobed, 6 NUANCE grey engobed, 7 FINESSE red glazed, 8 FINESSE wine red glazed, 9 FINESSE brown glazed, 10 FINESSE green glazed, 11 FINESSE black glazed
 12 NUANCE natural red flamed, 13 NUANCE copper red engobed, 14 NUANCE brown engobed, 15 NUANCE dark brown engobed, 16 NUANCE slate shade engobed, KERA KLASSIK: 17 natural red, 18 NUANCE copper red engobed, 19 NUANCE bright red flamed, 20 NUANCE bright blue flamed, 21 NUANCE anthracite engobed, 22 NUANCE matte manganese,

BIBER PROFIL




-  **Unique combination and design possibilities**
-  **Individual roof coverings in regional roofscapes**

AVAILABLE IN THESE COLOURS

1 natural red, 2 NUANCE copper red engobed, 3 NUANCE matte black engobed, 4 NUANCE anthracite engobed, 5 NUANCE bright red flamed, 6 NUANCE bright blue flamed, 7 NUANCE anthracite engobed, 8 NUANCE matte manganese engobed

BIBER AMBIENTE



AVAILABLE IN THESE COLOURS

SEGMENTED CUT: 1 natural red, 2 NUANCE copper red engobed, STRAIGHT CUT: 3 natural red, 4 NUANCE copper red engobed

ANTIK MONUMENT PLAIN TILE



AVAILABLE IN THESE COLOURS

ELLIPTICAL CUT:
1 raised surface brushed natural red
STRAIGHT CUT:
1 raised surface brushed natural red


SAKRAL CHURCH PLAIN TILE



AVAILABLE IN THESE COLOURS

ROUND CUT:
1 Natural red
STRAIGHT CUT:
1 Natural red

MANUFAKTUR TOWER PLAIN TILE




AVAILABLE IN THESE COLOURS

SEGMENTED CUT
1 natural red, 2 NUANCE copper red engobed

SNOW PROTECTION, ROOF ACCESS, AND SOLAR

NATURALLY SAFE AND LOAD-BEARING




For safe roof access during maintenance work: CREATON step systems are distinguished by safe, non-slip treads and match the roof perfectly. CREATON snow guard grids, log brackets and solid mountain snow guard supports provide protection from snow and ice loads, especially in regions with heavy snowfall. Robust aluminium base elements ensure easy, safe installation of flexible components. Our system accessories allow perfect integration into the roof surface in terms of shape and colour.



ROOF VENTILATION AND PENETRATION

THE OPTIMAL SOLUTION FOR ALL KINDS OF ROOF PENETRATIONS

Visually attractive, full-ceramic, and with countless design variants for creative roof design. Practically every desired tile shape and colour is available as a ready-to-install ventilation unit. Entry tile and vent pipe are optimally merged. It fits immediately without tedious alignment and resealing. Thus, the system set guarantees a durable, high-quality roof penetration with maximum protection against rain intrusion.




FULL-CERAMIC RIDGE END CAP

FAST, EASY AND SECURE INSTALLATION

Full ceramic roofs are particularly functional, sustainable and visually perfect. With the full-ceramic ridge end cap, CREATON offers the ideal system supplement for almost all models. Ridge connection ventilating tile with full ceramic spoiler ensures optimal ventilation for your roof. Even very flat roofs remain protected from rain intrusion. Colours and shapes in the CREATON product range always match. And as the patented FIRSTFIX fastening system requires no mortar or plastic, the full-ceramic roof connection is maintenance free. CREATON relies completely on the full ceramic roof – because it is the most economical and beautiful solution with lasting value.

YOUR BENEFITS

- Visually perfect connection at the ridge
- Correct rear ventilation of roof
- Maintenance-free ceramics
- Permanent colour stability and UV resistance
- Perfectly coordinated system tiles




Ridge connection ventilating tile


Ridge clip



Ridge clip wire



Patented FIRSTFIX fastening system: fast and secure installation with no ridge batten. The ridge clip wire can be used for all battens up to 40 x 60 mm. The ridge clip has a special slit-claw technology which keeps the ridge clip wire anchored firmly in the guide slot after passing through and bending. This allows secure, economical installation without tools. The S-shaped, curved ridge clip is attached to the ridge tile, so this clip does not need to be held when fastening the ridge tile, leaving both hands free which enhances safety.



- 1 Ridgestarter and ridge termination plate ceramic
- 2 Ridge tile
- 3 Ridge connection ventilating tile
- 4 Ridge connection ventilating verge tile
- 5 Verge tile



CREATON ROOF MEMBRANES

THE COST-EFFECTIVE SOLUTION FOR A RELIABLE SUB-ROOF

CREATON roof membranes provide peace of mind without expensive sub-roof assemblies, even with low roof pitches. Our products have proven themselves in the field over decades and have been subjected to fluidics investigations. We have specified the CREATON pitch limit for our clay roof tile and concrete roof tiles based on our many years of experience and the products available on the market. The superior technology found in CREATON roof and sub-roof products is a worthwhile investment in terms of costs, functionality and durability, both during construction and in long-term use. For more information on our sub-roof systems visit: www.creaton.de/produkte/unterdachsysteme.

TRIO extra
The roof membrane with integrated self-adhesive strips for exacting requirements

QUATTRO longlife extra
The roof membrane for the most exacting requirements

DUO longlife ND extra
The economical sub-roof membrane with nail sealing function for maximum protection


DUO extra
The economical sub-roof membrane with self-adhesive strips for exacting requirements

SAFE SYSTEM WITH CREATON ROOF MEMBRANE ACCESSORIES

CREATON PURITY LAW



CREATON only uses natural clay raw materials that come from the best extraction sites. The choice quality of all materials used is the basis for the unique surface finish that make CREATON clay roof tiles especially durable, timelessly beautiful and environmentally friendly. We deliberately avoid the use of chemical additives. CREATON stands for pure natural products, environmentally compatible technology and the desire to promote living in healthy surroundings.



Moisture & frost resistant



Fire resistant



Diffusion resistant



UV resistant



Durable



Manufactured in an environmentally-friendly manner